

PCMARK[®] 7

Command Line Guide

Updated April 23, 2018 for use with PCMark 7
Professional Edition v1.4.0



Usage

Run the program from a command line that was started as an administrator, (right-click on the *cmd* shortcut, and select *Run as Administrator*).

PCMark7Cmd.exe [options]



[PCMark 7 Professional Edition](#) license required for command line use.

Options

Command	Description
<code>--all[=on =off]</code>	Run all suites (default off).
<code>--pcmark[=on =off]</code>	Run PCMark suite (default off).
<code>--lightweight[=on =off]</code>	Run Lightweight suite (default off).
<code>--productivity[=on =off]</code>	Run Productivity suite (default off).
<code>--entertainment[=on =off]</code>	Run Entertainment suite (default off).
<code>--creativity[=on =off]</code>	Run Creativity suite (default off).
<code>--computation[=on =off]</code>	Run Computation suite (default off).
<code>--systemstorage[=on =off]</code>	Run System storage suite (default off).
<code>--secondarystorage[=on =off]</code>	Run Secondary storage suite (default off).
<code>--systeminfo[=on =off]</code>	Collect SystemInfo (default off).
<code>--storagepath=<path></code>	The path for the Secondary storage suite, for example D:\
<code>--systeminfo[=on =off]</code>	Collect SystemInfo (default on).
<code>--out=<file.pcmak-7-result></code>	Save results in the file.
<code>--in=<file.pcmak-7-result></code>	Load results from the file (only for submitting or exporting).
<code>--submit[=on =off]</code>	Send results to PCMark.com (default off).
<code>--export=<file.xml></code>	Export results to the XML file.
<code>--view</code>	View results.
<code>--register=<product key></code>	Register PCMark 7 with the given key.

<code>--unregister</code>	Unregister PCMark 7.
---------------------------	----------------------

Examples

Run all benchmark suites and save result to myresults.pcmark-7-result

```
PCMark7Cmd.exe --all --out=myresults.pcmark-7-result
```

Run only the secondary storage suite, targeting E:\ drive without scanning SystemInfo hardware configuration data and save results to myresults.pcmark-7-result

```
PCMark7Cmd.exe --secondarystorage=on --storagepath=e:\  
--systeminfo=off --out=myresults.pcmark-7-result
```

Run the default PCMark suite and export the result to myresult.xml

```
PCMark7Cmd.exe --pcmark --export=myresult.xml
```

Sample script

```
SET RESULTDIR=%CD%  
pushd C:  
cd "C:\Program Files\Futuremark\PCMark 7\bin"  
PCMark7Cmd.exe --all  
--out=%RESULTDIR%\pcmark_7_result.pcmark-7-result  
popd
```

© 2018 Futuremark® Corporation. PCMark® trademarks and logos, character names and distinctive likenesses, are the exclusive property of Futuremark Corporation. UL and the UL logo are trademarks of UL LLC. Microsoft, DirectX, and Direct3D are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. The names of other companies and products mentioned herein may be the trademarks of their respective owners.

